



700 Series

Tilting bratt pans 700

GAS TILTING BRATT PAN, SBG7-10 I

1121130000

DIMENSIONS

		Article	Packed
Length	mm	700,00	745,00
Depth	mm	775,00	925,00
Height	mm	850,00	1.070,00
Weight	Kg	114,00	149,00
Volume	m3	0,46	0,74

GAS TILTING BRATT PAN, SBG7-10 I

Made of stainless steel
 Pan capacity: 50 litres (approx.).
 Surface area: 42 dm²
 Stainless steel pan, with heat diffuser bottom 10 mm. thick. Crank raising system.
 Counterweighted folding lid.
 Stainless steel tubular burner controlled by solenoid valve and thermostat temperature control (50 °C to 315 °C).
 Water filling tap.
 Power: 12000 Kcal/h. (13.96 kW).
 Electrical connection 230 V - 1+N+T.
 Dimensions: 700 x 775 x 850 mm.

ELECTRICITY

Electric power	KW	
230V -1+N		0,05
230V - III		2x2,5 - 4A
400V - III+N		

PLUMBING - WATER

GAS

Power	KW	13,96
	Kcal/h	12.005,60
LPG	Consumption (kg/h)	1,09
	Pressure (g/cm ²)	37,00
Natural gas	Consumption (m ³ /h)	1,38
	Pressure (g/cm ²)	18,00

VAPOR

Not used

AIRE Comprimido

Not used

Certification EQNET- CE

99AR308

Connections	X	Y	Z	Diameter	Information
ELECTRICITY	500	600	150		Prever Interruptor diferencial
COLD WATER	350	600	105	3/4"	Prever llave de corte en la toma
GAS	662	494	105	R.3/4"G	Prever regulador y llave de corte individual

