

Illuminated curved sign panel to brand and advertise your products

Internal light

Plumbing-free design

Toughened safety glass door

10 Amp power supply



HB SERIES

PROVIDING GREAT FEATURES TO SUIT EVERYDAY NEEDS AT A LOW COST.




These energy efficient countertop and vertical glass door chillers have been designed simply to suit your everyday needs at a low cost.

Counter Top Generic Specifications

- Low energy consumption – uses 3.5KWh/24hrs
- Operating temperature +1°C to +4°C in 32°C ambient
- Insulation: 40/70mm thick polyurethane foam
- Refrigerant R134a
- Interior and exterior: white powder coated on galvanised steel
- 10 Amp power supply
- Low/e, toughened safety glass door
- Forced air ventilation
- Automatic defrosting
- Adjustable foot stand
- Internal light
- Plumbing-free design

Vertical Chiller Generic Specifications



- Low energy consumption – uses 5.0KWh/24hrs
- Operating temperature +1°C to +4°C in 40°C ambient
- Insulation: 30/70mm thick polyurethane foam
- Refrigerant R134a
- Interior and exterior: white powder coated on galvanised steel
- 10 Amp power supply
- Illuminated curved top sign panel
- Internal light
- Rollers and stabilising feet as standard
- Brackets for door lock as standard (lock not provided)
- Toughened safety glass door
- Warm air travels up the door to reduce condensation
- Plumbing-free design



HB50*

Model	Weight (kg)	Integral/Remote	Chiller/Freezer
HB50	37	Integral	Chiller
	External (mm)	Internal (mm)	
Height**	770	480/350***	Gross Volume 50 litres
Width	435	355	Floor Area 0.22m ²
Depth	465	295/255***	

- 3 white plastic coated shelves (w335mm x d280mm) as standard
- NB: Top shelf is 225mm deep



HB80

Model	Weight (kg)	Integral/Remote	Chiller/Freezer
HB80	38	Integral	Chiller
	External (mm)	Internal (mm)	
Height**	770	630/420***	Gross Volume 80 litres
Width	500	410	Floor Area 0.28m ²
Depth	560	400/250***	

- 2 white plastic coated shelves (w405mm x d360mm) as standard

* HB50 available from November 2007

Height includes legs (and lightbox on HB50) *Largest and smallest parts of cabinet

serene

from SKOPE


SMALL VERTICAL CHILLERS

VERTICAL GLASS DOOR




✓ High Energy Efficiency

HB300



Integral top view



Integral front elevation

Model	Weight (kg)	Integral/Remote	Chiller/Freezer
HB300	88	Integral	Chiller
	External (mm)	Internal (mm)	
Height*	1820	1070	Gross Volume 280 litres
Width	620	560	Floor Area 0.4m ²
Depth	655	460	


- 4 white plastic coated shelves (w530mm x d415mm) as standard

HB300
1 DOOR




✓ High Energy Efficiency

HB400



Integral top view



Integral front elevation

Model	Weight (kg)	Integral/Remote	Chiller/Freezer
HB400	99	Integral	Chiller
	External (mm)	Internal (mm)	
Height*	2100	1350	Gross Volume 350 litres
Width	620	560	Floor Area 0.4m ²
Depth	655	460	

- 5 white plastic coated shelves (w530mm x d415mm) as standard

HB400
1 DOOR